TOLMACHEV, A.I.

Autochthonous nucleus of the Arctic flora and its relation to the alpine floras of northern and Central Asia. Probl. bot. 6:55-65 '62. (MIRA 16:5)
(Arctic regions—Paleobotany,Stratigraphi8)

VOROB'YEV, Dmitriy Petrovich; TOLMACHEV, A.I., otv. red.;
SOROKINA, V.A., tekhn.red.

[Vegetation of the Kurile Islands] Rastitel'nost' Kuril'skikh
ostrovov. Moskva, Izd-vo AN SSSR, 1963. 91 p.
(MIRA 16:12)

(Kurile Islands--Botany)

SUKACHEV, V.N., akademik, glav. red.; VASIL'YEV, V.N., otv. red.;
    TOLMACHEV, A.I., otv. red.

    [Materials on the history of the flora and vegetation of
    the U.S.S.R.] Materialy po istorii flory i rastitel'nosti
    SSSR. Moskva, Izd-vo AN SSSR. No.4. 1963. 587 p.
                                        (MIRA 17:4)
    1. Akademiya nauk SSSR. Botanicheskiy institut.

TOLMACHEV, A.I.; YURTSEV, B.A.

Ranunulus Grayi Britton(R. pedatifidus Hook., non Smith) and its dis-
tribution in northeastern Asia. Bot.mat.Gerb. 22:112-117 '63.
                                                      (MIRA 17:2)

TOLMACHEV, Aleksandr Innokent'yevich; TIKHOMIROV, B.A., prof.,
doktor biol. nauk, otv. red.; MARKOVSKAYA, L.A., red.
izd-va; ZAMARAYEVA, R.A., tekhn. red.

[Arctic flora of the U.S.S.R.; critical survey of vascular
plants met in the Arctic regions of the U.S.S.R.] Arktiche-
skaia flora SSSR; kriticheskii obzor sosudistykh rastenii,
vstrechaiushchikhsia v Arkticheskikh raionakh SSSR. Mo-
skva, Izd-vo AN SSSR. No.4.[Families Lemnaceae - Orchidaceae]
Semeistva Lemnaceae - Orchidaceae. 1963. 95 p.
(MIRA 17:3)

TIKHOMIROV, Boris Anatol'yevich; TOLMACHEV, A.I., otv. red.; BELKINA,
M.A., red.izd-va; AREF'YEVA, G.P., tekhn. red.

[Essays of the biology of plants in the Arctic] Ocherki po
biologii rastenii Arktiki. Moskva, Izd-vo AN SSSR, 1963.
152 p.   (MIRA 16:9)
        (Arctic regions—Botany—Ecology)

TOLMACHEV, A.I., otv. red.; KIRIKOVA, L.A., red.

[Plant ranges of the flora of the U.S.S.R.] Arealy rastenii flory SSSR. Leningrad, Izd-vo Leningr. univ., 1965. 189 p.
(MIRA 19:1)

1. Leningrad. Universitet.

TAKHTADZHYAN, A.L.; TOLMACHEV, A.I.; FEDOROV, An.A.

Study of the flora of the U.S.S.R., achievements and prospects.
Bot.zhur. 50 no.10:1365-1373 O '65.

(MIRA 18:12)

1. Botanicheskiy institut imeni Komarova AN SSSR, Leningrad.

TOLMACHEV, A.I., doktor biolog.nauk

Study and utilization of Alpine flora and vegetation; conference
in Frunze. Vest. AN SSSR 35 no.12:112-113 D '65.

(MIRA 19:1)

USSR

Azacyanines. II. A. I. Kiprianov, V. Ya. Pochinok, and A. I. Tolmachev (T. G. Shevchenko (State Univ., Kiev). Ukrain. Khim. Zhur. 20, 204 (1954)(in Russian).—Cyanines ... in which one or several methyl groups of a poly-methine ... rep... the N atoms, are called azacy-anines. A ... fter N atoms substituted in the conjugated chain have been obtained by K., et al., ibid. 15, 466 (1949). Azacyanines with three N atoms and one or two para phenyl groups in the conjugated chain were synthesized from 2-aminobenzothiazole (I) and 2-(p-aminophenyl)benzo-thiazole(II) and their quaternary salts. It was demon-strated that the introduction of one phenyl group into the azacyanine displaces the absorption max. 45 mμ towards the short wave lengths, while introduction of 2 sym phenyl radicals on the other hand leads to displacement toward the long wave lengths by 25-30 mμ. I, m. 120°, was prepd. according to Drozdov (C. A. 32, 160#) from phenylthiourea by its cyclization ... /aminomethylbenzothiazoline, m. 123°, was prepd. by methylation of I with CH₃I (Fischer, ...)

Ann. 212, 330(1882); Jugershoff, Ber. 36, 3135(1903)].
2-(p-nitrophenyl)benzothiazole(III), m. 231°, was prepd by
adding 16 g. p-nitrobenzoyl chloride in 60 ml. benzene to 10
g. o-aminothiophenol in 30 ml. dry benzene, the pptd HCl
salt of III being converted to free base with HCl, filtered,
washed and dried. The yield was 18 g. or 82% (Bogert
and Snell, C.A. 19, 2650). The product was not recrystd.
For reduction to the amine II, m. 163, was prepd. in 75%
yield from III by Sn + HCl reduction; (cf. B and S., loc.
cit.). 1,3-Bis(2-benzothiazolyl)triazene, n 247-50°, was
obtained in up to 50% yield by adding 5 g. I, dissolved in
25 ml. glacial HOAc at 5°, slowly to nitrosylsulfuric acid
(2.5 g. NaNO₂ in 5 ml. concd. H₂SO₄) cooled to 0°, keeping
the temp. below 10° and then at room temp. for 30 min.,
filtering, and adding the filtrate to a cooled water-ale. soln.
of 2 g. I and 50 g. cryst. NaOAc, whereupon the yell. w p t.
which formed turned brownish upon standing. The mixt.
was dild. with 300 ml. H₂O, the ppt. filtered off, washed
with dil. HCl and H₂O, and 'ried; yield up to 50%. The
crude triazene could not be completely purified from its var-
ious impurities, recry from glacial HOAc was possible
only after a hot wash (80°) with nitrobenzene. 1,3-Bi-(2-
benzothiazolyl)triazene is yellow; absorption max. at 410
mµ; poorly sol. in alc., ether, benzene, sol. when heated in
glacial HOAc; insol. in concd. HCl changing from yellow
to red; yellow color in strong H₂SO₄, turning red upon dilu.
with H₂O, and on further dilu. turning yellow again. HCl
salt was prepd. by passing dry HCl through an ether sus-
pension, decompn. temp. 195-200°, insol. in benzene and
ether, decompd. by H₂O, absorption max. in MeOH contg.

with sat. KI soln vio ... ... azovasine
from HOAc, m. 170° with decompn., insol. in water, poorly
sol. in alc. and acetone, sol. in C_6H_5N, 446 mu absorption
max. in alc. o /Ethylamino phenyl mercaptan was prepd
... mercapto ... ...
Fazenko (C.A. 44, 3487 ...) ...
... PtCl₄ ... was prepd by adding 3.1 g. of ... nitrobenzoyl
chloride in ... ...
mercaptan ...

A. I. Kiprianov

on a water bath. The final quaternary salt was filtered, washed with C_2H_5 and dried; yield 5.1 g (90%). A portion of the salt was converted to the iodide, orange needles from alc., m. 245°. 2-(p-Aminophenyl)benzothiazole (VI) was prepd. by refluxing 3.3 g of V, 4.5 ml c. and HCl, 100 ml water, and 13 g Sn for 3 hrs. and filtered the hot soln. to yield 2.15 g of the SnCl salt of V, orange prisms, m. 167° (from alc.), 2 g of which, in hot acid soln., was treated with gaseous HCl and the quaternary salt was removed by filter, to yield 1.15 g (37%), based on the nitro compd. A portion was converted to the iodide to give yellow needles, m. 270° (from alc.). 2-(p-N-acetophenyl)benzothiazole-EtCl resulted from the condensation of p-nitrobenzoyl chloride with o-(methylaminophenyl)... in dry C_2H_5. The nitro group was then reduced to the amino group by diazotization and coupling with N-dimethylaniline to yield azo styrene absorption max 471 mμ... Coupling of diazotized 2-(p-aminophenyl)benzothiazole (VII) with VII gave a yellow diazo amino compd with absorption max of 420 mμ. From the latter, soln. was immediately pptd. with NH_3, a blue-violet azo amine, acid... a... intense reddish pink color, absorption max 510-20 mμ, unstable in soln., decompd rapidly... Attempts to purify by crystallization... Alumina chromatography failed.

Clayton F. Holloway

TOLMACHEV, A.I.

The reaction of triazeno alcohols with acids. V. Ya. Pochinok, A.-I. Tolmachev, and A. P. Pinchenko (Kiev State Univ.). *Ukrain. Khim. Zhur.* 20, 532-8(1954)(in Russian); cf. C.A. 41, 3066f.—Treating MeCPh(OH)·CH₂N:NNHPh (I) with aq. H₂SO₄ and with AcOH, Et·CO₂H, or BzOH in abs. Et₂O led in each case to the decompn. of the alc. to MeCOCH₂Ph (II), PhNH₂, and N. I and β-naphthol in dry C₆H₆ gave, in addn. to II, *1-(β-naphthoxy)·2-Phenyl-2-propanol*, colorless leaflets, m. 73°, sol. in Et₂O, Me₂CO, petr. ether, and hot EtOH, insol. in H₂O. I was decompd. within 1 hr. when boiled in toluene, but did not decomp. when boiled 30 hrs. in Et₂O or C₆H₆. The following new triaz. co alcs. behaved similarly: *p-MeC₆H₄·CMe(OH)CH₂N:NNHC₆H₄Me·p* (III), m. 90-7° (from ligroine); the *di(o-tolyl) isomer* of III, yellow oil (did not cryst. on cooling); the *bis-p-MeOC₆H₄ analog*, C₁₈H₂₀N₃O₂, of III, colorless crystals, m. 160-1° (from C₆H₆); (*p-Me·C₆H₄)₂C(OH)CH₂N:NNHC₆H₄Me·p*, colorless crystals, m. 145-7° (from ligroine).   Gary Gerard

(2)

TOLMACHEV, A. I.

TOLMACHEV, A. I. --"Obtaining Quaternary Salts of Weak Organic Bases."
    Kiev, 1955. (Dissertation for the Degree of Candidate in Chemical
    Sciences.)

So.: Knizhnaya Litopis', No 7, 1956.

TOL-MACHEV, A.I.

466

AUTHORS: Kiprianov, A. I., and Tolmachev, A. I.

TITLE: Derivation of Quaternary Salts of Weak Organic Bases (Polucheniye
              chetvertichnykh soley slabykh organicheskikh osnovaniy)

PERIODICAL: Zhurnal Obshchey Khimii, 1957, Vol. 27, No. 1, pp. 142-150 (U.S.S.R.)

ABSTRACT: Kinetic investigation was conducted with 2-methylbenzthiazole as a
              base to compare the rates of formation of quaternary salts of one
              and the same base with the application of well-known alkylating
              agents as well as esters of various nitrobenzosulfonic acids. The
              reaction was carried out at temperatures of 70, 80, 90 and 100° and
              the rate of reaction was determined by the weight of the quaternary
              salt separated from the solution. The rate constants calculated
              in accordance with the bimolecular reaction equation have shown
              perfect agreement. Results given in Table 1 show that methyl ether
              of m-nitrobenzenesulfonic acid by its methylating potential at 80°
              is equal to dimethylsulfate and is 70 times more active than
              methyl iodide. Methyl ether of o-nitrobenzenesulfonic acid was
              found to be approximately 6 times and methyl ethers of 2, 3- and
              2,4-dinitrobenzenesulfonic acids 60 times more active than dimethyl
              sulfate which is considered the most potent of the alkylating

Card 1/2

Derivation of Quaternary Salts of Weak Organic Bases   466

agents used. The increase in the rate of formation of quaternary salts in the case of nitro-derivatives of benzene sulfo-acids is explained by the reduction in activation energy and sometimes also by the increase in the pre-exponential factor. It is evident therefrom that the nitro-group in ortho-position does not produce any steric hindrance in the methylation reaction. According to N. A. Menshutkin (8) the rate of formation of quaternary salts during the reaction of tertiary amines with methyl iodide increases very sharply during the conversion from less polar to more polar solvents. It appears however that the polarity of the solvent in the case of esters of benzenesulfonic acids has a comparatively slight effect on the rate of reaction.

Six tables and 3 graphs. There are 15 references, of which 5 are Slavic.

ASSOCIATION: Academy of Sciences Ukrainian SSR, Institute of Organic Chemistry (Institut Organicheskoy Khimii, Akademii Nauk Ukrainskoy SSR)

PRESENTED BY:

SUBMITTED: January 18, 1956

AVAILABLE:

TOLMACHEV, A. I.

79-2-46/58

AUTHORS: Kiprianov, A. I. and Tolmachev, A. I.

TITLE: Dinitrobenzenesulfonic Acids and Their Esters (Dinitrobenzolsul'fokisloty i Ikh Efiry)

PERIODICAL: Zhurnal Obshchey Khimii, 1957, vol 27, No 2, pp. 486-491 (U.S.S.R.)

ABSTRACT: This article describes the synthesis of 2,3-, 2,5- and 3,4-dinitrobenzenesulfonic acids, their esters and other derivatives as well as several new esters of already known nitro- and dinitrobenzenesulfonic acids. Table 1 lists a number of derivatives of three new dinitrobenzenesulfonic acids obtained for the purpose of identification, with their melting points and analyses. The authors, together with L. M. Yagupol'skiy (9), also obtained a hitherto unknown 2-nitro-4-trifluoromethylbenzenesulfonic acid. Under the effect of alkaline agents, the dinitrobenzenesulfonic acids may separate the sulfo-group (2,4-dinitrobenzenesulfonic acid) or the nitro group (2,3-, 2,5- and 3,4-dinitrobenzenesulfonic acid). It is recommended that the reaction with dinitrobenzenesulfochlorides be carried out at a temperature of about 5° and the amount of alcoholate added to the acid chloride solution must be exactly equivalent to the sulfochloride. It was

Card 1/2

Dinitrobenzenesulfonic Acids and Their Esters   79-2-46/58

determined that the most reliable method for the derivation of esters
of dinitrobenzenesulfonic acids is the reaction of their silver salts with
alkly iodide. The hitherto unknown esters of nitro- and dinitrobenzene-
sulfonic acids, their melting points and chemical analyses are listed in
table 2. The o-nitrobenzenesulfonic acid esters obtained during the
reaction of o-nitrobenzenesulfochlorides with n-propyl or n-octyl alcohol-
ates in dry ether are described as oils which do not submit to crystal-
lization or distillation without decomposition.

2 tables. There are 15 references, of which 2 are Slavic

ASSOCIATION: Academy of Sciences Ukr-SSR, Institute of Organic Chimistry

PRESENTED BY:

SUBMITTED: January 18, 1956

AVAILABLE: Library of Congress

Card 2/2

SOV/79-29-9-14/76

3(5)

AUTHORS: Kiprianov, A. I., Tolmachev, A. I.

TITLE: Tertiary Oxonium Salts of Chromones and Thiochromones

PERIODICAL: Zhurnal obshchey khimii, 1959, Vol 29, Nr 9, pp 2868-2874 (USSR)

ABSTRACT: It may be observed from the investigation made by various
              foreign chemists, as cited by references 1-4, that tertiary
              oxonium salts of γ-pyrone and its derivatives are difficult
              to produce; this is the reason why they have been so little
              investigated. The properties of these salts reveal, however,
              that they are highly reactive, and may serve as initial prod-
              ucts for a number of different transformations (Refs 2, 3, 5).
              Thus, for instance, methyl perchlorate of dimethyl pyrone
              may enter autocondensation in the presence of bases, and
              under formation of an orange dye (IV) (Scheme 2), what is in-
              dicative of the activity of methoxy groups with respect to
              nucleophilic-, and of the activity of methyl groups with respect
              to electrophilic compounds. A more comprehensive investigation
              of properties and reactions of tertiary oxonium salts of
              pyrones, and especially chromones, however, calls for a more
              expedient method of synthesizing these products. A synthesis,
              recently made by the authors (Ref 6), of quaternary salts of

Card 1/3

Tertiary Oxonium Salts of Chromones and Thiochromones

weak organic bases, was successfully applied to chromone
and its derivatives. On heating an equimolecular mixture of
chromone and methyl ester of 2,4-dinitrobenzosulfonic acid
at 50°, tertiary oxonium salt (V) is already quantitatively
formed after 20 min. Isomeric benzochromones with methyl
ester of o-nitrobenzosulfonic acid more readily form tertiary
oxonium salts (VI) and (VII) than does chromone (90% and 95%
yield). The tertiary oxonium salts of flavone (VIII), 1-thio-
chromone (IX), 4-thiochromone (X), and 2-methylchromone (XI)
were obtained in the same manner. The synthesis of the tertiary
salt of 2-methyl chromone (XI) proceeded with more difficulty.
It was obtained only with methyl ester of 2,4-dinitrobenzene
sulfonic acid in a yield of 81%. Xanthone, thioxanthone,
xanthione, thioxanthione and isoflavone do not react with
the methyl ester of this acid. All the new synthesized tertiary
salts are colorless, crystalline compounds with high melting
points. Their purification was rather difficult, as they are
unstable to water and alcohol. There are 31 references, 5 of
which are Soviet.

Card 2/3

Tertiary Oxonium Salts of Chromones and Thiochromones   SOV/79-29-9-14/76

ASSOCIATION: Institut organicheskoy khimii Akademii nauk Ukrainskoy SSR
(Institute of Organic Chemistry of the Academy of Sciences
of the Ukrainskaya SSR)

SUBMITTED: September 1, 1958

Card 3/3

5.3610

77909
SOV/79-30-2-60/78

AUTHORS: Kipryanov, A. I., Tolmachev, A. I.

TITLE: Condensation of Tertiary Oxonium Salts of Chromones and
             Thiochromones With Compounds Containing Active Methyl
             or Methylene Groups

PERIODICAL: Zhurnal obshchey khimii, 1960, Vol 30, Nr 2, pp 638-
             646 (USSR)

ABSTRACT: In their previous study (this j., 1959, our abstract
             75199) the authors reported the synthesis of tertiary
             oxonium salts of chromones and thiochromones in the
             reaction of these weak bases with esters of nitroben-
             zenesulfonic acid. The present study deals with the
             condensation of these salts with quaternary salts of
             2-methylbenzothiazole and its derivatives, or with
             2-methylenebenzothiazole, which yielded a series of
             asymmetric dyes (momomethinylcyanines) containing
             benzothiazole- and benzopyrylium-groups. Equimolecular
             amounts of o-nitrobenzenesulfonate of 4-methoxybenzo-
Card 1/12   thiopyrylium and methylbenzenesulfonate of

Condensation of Tertiary Oxonium Salts
of Chromones and Thiochromones With
Compounds Containing Active Methyl or
Methylene Groups

77909
SOV/79-30-2-60-78

2-methylbenzothiazole heated for 30 min at 100 ° C in
a mixture of acetic acid, acetic anhydride, and pyridine
gave readily (I) dark-red needles; yield 20%, decomp.
264 ° C.

Dye I was obtained in 61% yield when 3-methyl-2-methyl-
enebenzothiazoline was substituted for the quaternary
salt of 2-methylbenzothiazole. Dyes (II) (orange
needles; yield 60%; decomp. 278 ° C) and (III) (orange
needles; yield 37%; decomp. 277 ° C) were obtained
similarly from o-nitrobenzenesulfonate of

Card 2/12

Condensation of Tertiary Oxonium Salts
of Chromones and Thiochromones With
Compounds Containing Active Methyl or
Methylene Groups

77909
SOV/79-30-2-60/78

4-methoxybenzothiopyryllium with, respectively, methyl-
o-nitrobenzenesulfonate of 2-methyl-6-nitrobenzothiazole,
and o-nitrobenzenesulfonate of 2-methyl-α-naphtho-
thiazole.

Card 3/12

Condensation of Tertiary Oxonium Salts
of Chromones and Thiochromones With
Compounds Containing Active Methyl or
Methylene Groups

77909
SOV/79-30-2-60/78

Tertiary oxonium salts of chromones do not yield mono-
methinecyanines under the above conditions, but can be
condensed easily with quaternary salts of 2-methyl-
benzothiazole when the latter were converted with
alkali into methylene bases. Accordingly, o-nitro-
benzenesulfonate of 4-methoxybenzopyrylium in acetic
anhydride, and 3-methyl-2-methylenebenzothiazoline in
glacial acetic acid on heating for 1 hr at 100 $^\circ$ C
gave (IV) (red-orange needles; yield 50%; decomp.
256 $^\circ$ C).

Card 4/12

Condensation of Tertiary Oxonium Salts
of Chromones and Thiochromones With
Compounds Containing Active Methyl or
Methylene Groups

77909
SOV/79-30-2-60/78

In this manner, the condensation of the salts of chro-
mone, flavone, and 5,6-benzochromone with 2-methylene-
3-methyl-(or 3-ethyl)-benzothiazoline, 2-methylene-3-
methyl-6-nitrobenzothiazoline, and 2-methylene-3-
methyl-(or 3-ethyl)- (1 -naphthothiazoline gave the
yellow and orange monomethinecyanines (V) - (X), in
quantitative yield. Monomethinecyanine (XI) (orange
flakes; decomp. 295 $^{\circ}$ C) of a similar structure was
obtained by condensing 2-methylchromone with Larivé
reagent (3-methylbenzothiazole-2-sulfobetaine) for 3 hr
at 150 $^{\circ}$ C and heating the base, thus obtained, for 1
hr at 150 $^{\circ}$ C with dimethyl sulfate. Heating 2-methyl
chromone with methyl ester of o-nitrobenzenesulfonic
acid in toluene gave (XII) (dark purple needles; decomp.
264 $^{\circ}$ C). Heating 2-methylchromone with P_2S_5 in xylene,

Card 5/12

and treating the base thus obtained with dimethyl sulfate
gave (XIII) (dark purple needles; decomp. 249 $^{\circ}$ C).
Flavone in reaction with Grignard's reagent in ethyl
ether gave easily salts of 4-methylflavylium contain-
ing an active methyl group.

Condensation of Tertiary Oxonium Salts
of Chromones and Thiochromones With
Compounds Containing Active Methyl or
Methylene Groups

77909
SOV/79-30-2-60/78

The condensation of 4-methylflavylium perchlorate with
o-nitrobenzenesulfonate of 4-methoxybenzopyrylium gave
(XIV) (brown needles; decomp. 249 ° C). Similarly, the
reaction of the perchlorate with o-nitrobenzenesulfon-
ate of 4-methoxybenzothiopyrlium gave (XV) (deeply
colored; decomp. 243-245 ° C). Study of the absorp-
tion spectra showed that the monomethinecyanines
containing 2 benzenepyrylium groups (XII – XIV) had a
deeper color than the others. There are 8 references,
1 U.S., 1 French, 2 Swiss, 1 German, 1 Polish, and 2
Soviet. The U.S. reference is: A. Schoenberg, M.
Sidsky, G. Aziz, J. Am. Chem. Soc., 76, 5117 (1954).

ASSOCIATION: Institute of Organic Chemistry, Academy of Sciences
UkrSSR (Institut organicheskoy khimii Akademii nauk
Ukrainskoy SSSR)

SUBMITTED: February 16, 1959   Card 6/12

77909, 30V/79-30-2-60/78

λ_{max} 434 mμ

(V)

λ_{max} 490, 464 mμ

(VI)

λ_{max} 473 mμ

(VII)

Card 7/12

77909, SOV/79-30-2-50/78

λ_{max} 452 mμ

(VIII)

λ_{max} 503 mμ;

o-NO$_2$C$_6$H$_4$SO$_3$$^-$

(IX)

λ_{max} 488, 463 mμ

ClO$_4$$^-$

(X)

Card 8/12

Condensation of Tertiary Oxonium Salts
of Chromones and Thiochromones With
Compounds Containing Active Methyl or
Methylene Groups

77909
SOV/79-30-2-60/78

λ_{max} 430, 451 mµ.

(XI)

Card 9/12

77909, SOV/79-30-2-60/78

λ_{max} 514, 482 mμ

Card 10/12

Condensation of Tertiary Oxonium Salts
of Chromones and Thiochromones With
Compounds Containing Active Methyl or
Methylene Groups

77909
SOV/79-30-2-60/78

λ_{max} 546 mμ

Card 11/12

Condensation of Tertiary Oxonium Salts
of Chromones and Thiochromones With
Compounds Containing Active Methyl or
Methylene Groups

77909
SOV/79-30-2-60/78

(XIV)

(XV)

Card 12/12

TOLMACHEV, A.I.

Synthesis of dicarbocyanines by the cleavage of the pyrylium ring
of pyrylocyanines. Zhur. ob. khim. 30 no.9:2892-2904 S '60.
                                                    (MIRA 13:9)

1. Institut organicheskoy khimii Akademii nauk Ukrainskoy SSR.
        (Pyrylium compounds)   (Cyanines)

TOLMACHEV, A.I.

Condensation of tertiary oxonium salts of chromones and thiochromones
with dialkylanilines. Zhur. ob. khim. 30 no.9:2884-2892 S '60.
                                                        (MIRA 13:9)

1. Institut organicheskoy khimii Akademii nauk Ukrainskoy SSR.
              (Aniline)   (Chromone)

TOLMACHEV, A.I.

Reactions of pyrylocyanines with compounds containing active methyl or methylene groups. Zhur. ob. khim. 30 no.11:3640-3647 N'60.   (MIRA 13:11)

1. Institut organicheskoy khimii Akademii nauk Ukrainskoy SSR.
        (Cyanines) (Benzothiazole)

SICH, Yu.D.; TOMACHEV, ...I.

Synthesis of 2-methyl-4-nitrobenzothiazole. Ukr. khim. zhur.
27 no. 1:60-62 '61.   (MIRA 14:4)

1. Institut organicheskoy khimii AN USSR.
                    (benzothiazole)

TOLMACHEV, A.I.; SRIBNAYA, V.P.

Condensation of thiochromone with compounds containing
active methyl or methylene groups. Zhur.ob.khim. 32 no.2:
383-390 F '62.   (MIRA 15:2)

1. Institut organicheskoy khimii AN Ukrainskoy SSR.
                        (Thiochromone)

TOLMACHEV, A.I.

Interaction of chromone with compounds containing active
methyl and methylene groups. Zhur.ob.khim. 32 no.11:3745-3752
N '62.   (MIRA 15:11)

1. Institut organicheskoy khimii AN Ukrainskoy SSR.
                          (Chromone)
          (Methyl group)   (Methylene group)

TOLMACHEV, A.I.; SRIBNAYA, V.P.; SHCHEGLOVA, L.V.

Chloro-substituted benzopyrylomonomethinecyanines. Zhur.ob.
khim. 33 no.2:440-447 F '63.   (MIRA 16:2)

1. Institut organicheskoy khimii AN UkrSSR.
   (Methinecyanine)   (Benzopyrylium compounds)

TOLMACHEV, A.I.; SHCHEGLOVA, L.V.

Synthesis of meso-arylthiacarbocyanines in the cleavage of the pyrylium ring of pyrylocyanines. Zhur.ob.khim. 33 no.2:448-453 F '63.   (MIRA 16:2)

1. Institut organicheskoy khimii AN UkrSSR.
           (Thiacarbocyanine)   (Pyrylium compounds)

TOLMACHEV, A.I.; SRIBNAYA, V.P.

Interaction of benzothiapyrylium perchlorate with nucleophilic
agents. Zhur.ob.khim. 33 no.12:3864-3871 D '63.   (MIRA 17:3)

1. Institut organicheskoy khimii AN UkrSSR.

AUTHORS: Trapeznikov, A.A., Tolmachev, A.M.   76-32-3-40/43

TITLE: On the Influence Exerted by the Conditions of Precipitation
             of Aluminum Hydroxide Upon the Properties of Thickening
             (O vliyanii usloviy osazhdeniya gidrookisi alyuminiya
             na yeye zagushchayushchiye svoystva)

PERIODICAL: Zhurnal Fizicheskoy Khimii, 1958, Vol 32, Nr 3
             pp 725-726 (USSR)

ABSTRACT: The mechanical properties of aluminum oxide pastes in paraffin
             oil were hitherto investigated, except for those properties
             mentioned in the title, which are, however, of importance in
             the production of polarographic colors. The present paper
             deals with the influence of the pH in precipitations upon
             the thickening properties of aluminum hydroxide in nonpolar
             medical paraffin oil. Two varieties of the production of the
             paste are described, the second one being a modification of
             the method of precipitation according to A. A. Trapeznikov
             (reference 2). The aluminum hydroxide precipitations were
Card 1/2   performed at different pH and the prepared paste was then
             examined for its bending strength. The test apparatus

76-32-3-40/43

On the Influence Exerted by the Conditions of Precipitation of Aluminum
Hydroxide Upon the Properties of Thickening

developed in the institute mentioned below had already been
described and is based on a tangential arrangement of the
samples. The obtained results are graphically represented
and it is concluded from them that the pH value of the
precipitation exerts a very great influence upon the
properties of aluminum hydroxide, so that in the case of
several equal pH values products with the necessary properties
can be obtained. There are 1 figure, and 4 references,
4 of which are Soviet.

ASSOCIATION: Akademiya nauk SSSR, Institut fizicheskoy khimii ,Moskva
(Moscow, Institute of Physical Chemistry, AS USSR)

SUBMITTED: June, 12, 1957

Card 2/2

ACCESSION NR: AT5002202   S/0000/64/000/000/0066/0066

AUTHOR:

TITLE: Investigation of the ion exchange properties of A-type synthetic zeolite

material proper...

SOV/32-25-5-44/56

28(5)
AUTHORS: Shchegolev, G. G., Tolmachev, A. M., Trapeznikov, A. A.

TITLE: Apparatus for Investigating the Properties of Resistance to
                Deformation of Pasty Colloid Systems (Pribor dlya issledovaniya
                deformatsionno-prochnostnykh svoystv pastoobraznykh kolloid-
                nykh sistem)

ABSTRACT: An apparatus is described which operates on the principle of
                the tangent shift of a steel lamella, which has already been
                used in asphalt investigations (Ref 1), etc (Refs 2-4). One of
                the advantages of the apparatus is that the structure of the
                system to be investigated is not destroyed when the correspond-
                ing substance is filled in. The apparatus (Fig 1, Draft) has a
                cuvette and a drive. The latter can load the measuring metal
                lamella either constantly or increasingly in certain intervals.
                The cuvette consists of two screwed metal lamellas (Fig 2) of
                stainless steel. The substance to be investigated is filled in
                a grooved indentation of the cuvette bottom where also the
                equally grooved measuring metal lamella is inserted. The shift
                of the measuring metal lamella results from the loading of the

Card 1/2

SOV/32-25-5-44/56

Apparatus for Investigating the Properties of Resistance to Deformation of Pasty Colloid Systems

drive via a dynamometer spring. The deformation of the dynamometer is read by means of the microscope MIR-1 with the eyepiece micrometer AM-IKh-11 with an accuracy of 2μ. There are two ways of loading, as mentioned above, whereby the results can also be plotted according to several variants. The reproducibility of parallel measurements of a 12% lithium lubricating paste and a 33% aluminum hydroxide vaseline grease paste is indicated as being 3-5% (Fig 3). There are 3 figures and 5 Soviet references.

ASSOCIATION: Institut fizicheskoy khimii Akademii nauk SSSR (Institute of Physical Chemistry of the Academy of Sciences USSR)

Card 2/2

5(4)   SOV/80-32-4-10/47

AUTHORS: Trapeznikov, A.A. Tolmachev, A.M.

TITLE: Methods for Preparing Aluminum Hydroxide and the Deformation-
                Resistant Properties of Its Pastes in Vaseline Oil (Metody
                polucheniya gidrookisi alyuminiya i deformatsionno-prochnostnyye
                svoystva yeye past v vazelinovom masle)

PERIODICAL: Zhurnal prikladnoy khimii,1959, Vol 32, Nr 4, pp 763-770 (USSR)

ABSTRACT: Aluminum hydroxide is widely used in industry, especially for
                printing dyes. The effect of conditions of its deposition on
                the stability of structure of its pastes in pure medical vase-
                line oil and their transparency is studied here. Deposition of
                aluminum hydroxide was carried out at pH-values varying from
                4.0 to 9.0. The hydroxide was prepared from potassium-aluminum
                alums and soda in 0.5 n-solutions. The filtered deposits were
                dried at 61°C. The best results were observed at pH-values of
                5.0-8.0 with a sharp maximum at 6.5. i.e., in the isoelectric
                point. Other maxima were at pH=5.3 and 8.0. The course of the
                curve was determined by the method of washing of the deposit.
                The size of the particles and the density of their packing
Card 1/2   determined the value of their active surface and affected also

SOV/80-32-4-10/47

Methods for Preparing Aluminum Hydroxide and the Deformation-Resistant Proper-
ties of Its Pastes in Vaseline Oil

their humidity. The transparency of the pastes changes direct-
ly with the content of the SO_4-groups in the deposit and
reaches a maximum at $pH = 5.3$. The hydroxide pastes in vaseline
oil have no elastic aftereffect and behave like elastic-
brittle bodies. Figurovskiy is mentioned in the text.

ASSOCIATION: Institut fizicheskoy khimii AN SSSR (Institute of Physical
                Chemistry AS USSR)

SUBMITTED: January 27, 1958.

Card 2/2

5(4),21(5)
AUTHORS: Panchenkov, G. M., Tolmachev, A. M.,   SOV/76-33-3-38/41
Kondratova, V. B.

TITLE: On a New Method of Isotope Separation (O novom metode raz-
deleniya izotopov)

PERIODICAL: Zhurnal fizicheskoy khimii, 1959, Vol 33, Nr 3, pp 734-735
(USSR)

ABSTRACT.   Contrary to previous assumptions it was shown (Refs 1-3)
that the isotopes of various elements have unequal molar
volumes such as hydrogen, lithium, and mercury isotopes. In
this paper the authors decribed the separation of oxygen
isotopes by means of bis-(N,N'-disalicylal ethylenediamine)-
-μ-aquo-dicobalt (Ref 4), which strongly absorbs oxygen at
40° C and loses it again at 60° C. In order to determine a
"screening effect" of this substance for isotope molecules
of oxygen, the authors computed the distribution coefficient α
in glass-bulbs of a capacity of 2,000, 1,000, 500, 250, and
125 ml at a pressure of between ≈ 760 and ≈ 380 torr and a
temperature of $20 \pm 3^\circ$ C. The results of measurement are listed
(Table); they indicate that isotopes may be separated in the

Card 1/2

On a New Method of Isotope Separation   SOV/76-33-3-38/41

gas and liquid phase according to the aforesaid method. Cor-
responding investigations are presently being made by the
authors of this paper. There are 1 table and 5 references,
2 of which are Soviet.

ASSOCIATION: Moskovskiy gosudarstvennyy universitet im. Lomonosova
               (Moscow State University imeni Lomonosov)

SUBMITTED: December 3, 1958

Card 2/2

SOV/76-33-7-27/40

5(4)

AUTHORS: Trapeznikov, A. A., Tolmachev, A. M.

TITLE: On the Problem of the Formation of Aluminum Hydroxide

PERIODICAL: Zhurnal fizicheskoy khimii, 1959, Vol 33, Nr 7,
             pp 1632 - 1637 (USSR)

ABSTRACT: The authors investigated the influence exerted by the pH
             and other factors during the formation of aluminum hydroxide
             (I) upon its capability of thickening and several other pro-
             perties of the produced (I) since it is used for polarographic
             colors. For this reason, investigations were for the major part
             carried out with solutions of potassium-aluminum alum (II) and
             sodium carbonate, and NaOH solutions were used only for the
             purpose of rendering reaction conditions less complicated.
             Titration was carried out potentiometrically with
             0.5 n (0.4994 n) (II)-solutions, 0.5 n (0.4910 n) $AlCl_3$

             solutions and NaOH solutions of various concentrations by means
             of glass electrodes (PPTV-1 potentiometer). The precipitate of
             (I) was dried at 105°C and analyzed with respect to its SO_4^{2-}
             content (Table). The aging of the precipitate in solutions
Card 1/2   with different pH resulted in a complicated change in the

On the Problem of the Formation of Aluminum Hydroxide SOV/76-33-7-27/40

course of the titration curve. At a ratio of $3.0 < OH/Al < 4.0$, the pH slightly falls in the first two hours, and then rises sharply (which is ascribed to reduced solubility of the precipitate as a consequence of aging) and remains constant. At $OH/Al < 3.0$, the pH decreases in the course of time, and the titration curve attains a maximum and minimum (which is explained by two processes, i. e. 1) successive transformation of the crystal structure of (I), and 2) transition of basic aluminum salts into (I). In acid solutions (pH = 4.0 - 4.5), the pH almost does not change in the course of time. The most complete precipitation of aluminum from 0.5 n (II)-solutions with 0.5 n sodium carbonate solution takes place at pH = 5.0 - 5.3. There are 2 figures, 1 table, and 18 references, 4 of which are Soviet.

ASSOCIATION: Akademiya nauk SSSR, Institut fizicheskoy khimii, Moskva (Academy of Sciences of the USSR, Institute of Physical Chemistry, Moscow)

SUBMITTED: January 18, 1958

Card 2/2

TOLMACHEV, A. M.

TOLMAHGEV, A. M. and PANCHENKOV, G. M.

"Zur Trennung der Isotope des Sauerstoffs mit Hilfe organischer Komplex Verbindungen des Kobalts."

Report presented at the 2nd conf. on Stable Isotopes.
East German Academy of Sciences, Inst. for Applied Physical Material
Leipzig, GDR, 30 Oct - 4 Nov 1961

S/195/62/003/003/002/002
E075/E436

AUTHORS: Panchenkov, G.M., Tolmachev, A.M.

TITLE: On the question of the interaction of oxygen with the complex organic cobalt compounds

PERIODICAL: Kinetika i kataliz, v.3, no.3, 1962, 378-384

TEXT: The authors investigated the kinetics of the interaction of O with bis-(N,N'-disalicylalethylenediamine)-μ-aquadicobalt (CoX) and bis-(N,N'-di-(3-nitrosalicylal)-ethylenediamine)-μ-aquadicobalt (3-NO2-CoX). It was found that both compounds absorb O with the evolution of heat, the maximum amount of the absorbed oxygen being 1 molecule of O for 2 atoms of Co. At low temperatures the reaction is almost irreversible, but beginning at 30°C for CoX and 40°C for 3-NO2-CoX, the strength of attachment of O to the complexes rapidly decreases and the reaction becomes reversible. The following scheme is proposed for the reactions:

.I
$$O_2 \xrightarrow{\ \ } O_2$$
gas in   gas on the
bulk   surface

- Diffusion of O_2 towards the surface of the solid phase

Card 1/3

On the question of the interaction ...   S/195/62/003/003/002/002
E075/E436

$$O_2 \xrightarrow{\text{II}} O_{2ads}$$
gas on
the surface

— Adsorption of O_2 on the surface

$$O_{2ads} \xrightarrow{\text{III}} O_2$$
in the bulk of
the solid phase

— Diffusion of the adsorbed O_2 molecules into the solid phase

(+2CoX)
$$O_2 \underset{\text{IVa}}{\overset{\text{IV}}{\rightleftarrows}} CoX_2O_2$$
inside
the solid

— Chemical reaction of the O_2 in the solid with the complex molecules

(+2CoX*)
$$Co_2X_2O_2 \xrightarrow{\text{V}} 2CoX + Co_2X_2^*O_2$$

— Saturation of the complex molecules, for which reaction IV is not admissible.

The rates for the processes I and II are higher than that for process III.   The latter is the rate determining process for the
Card 2/3

On the question of the interaction ...   S/195/62/003/003/002/002
                                          E075/E436

reaction below the critical temperatures.   Above the critical
temperatures both processes III and IV are equally slow and the
kinetic S-shaped curves characterize the subsequent reactions.
Process V occurs rapidly and is not considered in the kinetic
studies.   There are 4 figures and 2 tables.

ASSOCIATION: Moskovskiy gosudarstvennyy universitet
             im. M.V.Lomonosova Khimicheskiy fakul'tet
             (Moscow State University imeni M.V.Lomonosov
             Chemistry Division)

SUBMITTED: May 11, 1961

Card 3/3

TOLMACHEV, A.M.; DENISOVA, L.V.; FEDOROV, V.A.; PANCHENKOV, G.M.

Elution-partition of alkali metal ions on a synthetic A-type
zeolite. Vest. Mosk. un. Ser. 2 Khim. 19 no.2:20-22 Mr-Ap'64

1. Kafedra fizicheskoy khimii Moskovskogo universiteta.

44350
S/195/62/003/006/003/011
E075/E436

.5.2440

AUTHORS: Panchenkov, G.M., Tolmachev, A.M.

TITLE: Kinetics of isotopic exchange between gaseous oxygen
and oxygen absorbed by the organic complex compounds
of cobalt,

PERIODICAL: Kinetika i kataliz, v.3, no.6, 1962, 861-864

TEXT: The isotopic exchange reaction

$$^{16}O^{18}O_{gas} + Co_2X_2^{16}O_2 \text{ solid} \rightleftharpoons ^{16}O_2 \text{ gas} + Co_2X_2^{16}O^{18}O_{solid}$$

where X is bis-(N, N^1-disalicylalethylenediamine)-μ-aquodicobalt,
was studied for the first time. The complex saturated with oxygen
at a given temperature and about 380 mm Hg was evacuated and
saturated with $^{16}O^{18}O$. Samples of the gas were withdrawn
periodically and analysed by mass spectrometry. The rate of
isotopic exchange was measured by

$$F = \frac{C - C_o}{C_\infty - C_o}$$

where C and C$_o$ - molar fractions of the isotopic O at times t

Card 1/3

Kinetics of isotopic ...

S/195/62/003/006/003/011
E075/E436

and t = 0, respectively and C_∞ - the molar fraction of the O molecules at equilibrium at which the isotopic composition is the same in the solid and gaseous phases. In most cases the equilibrium was not reached with the exception of CoX at 40°C. This made the calculation of C_∞ difficult except for the reaction at 40°C. The isotopic exchange was postulated to proceed in two steps:

$$^{16}O^{18}O_{gas} + Co_2X_2{}^{16}O_2{}_{solid} \xrightarrow{1} {}^{16}O_2{}_{gas} + Co_2X_2{}^{16}O^{18}O_{solid} \xrightarrow[+ Co_2X_2{}^{16}O\cancel{2}]{2}$$

$$\rightarrow Co_2X_2{}^{16}O_2 + Co_2X_2^{*16}O^{18}O$$

The first reaction is fast and determined by the rate of diffusion of isotopic O_2 into the crystals of the complexes. The diffusion into the narrowest pores of the crystals was stopped however by O molecules combined with the complexes. At this stage the second slow reaction begins. The second stage is accelerated at 40 to 65°C due to weakening of bonds between O and the complexes. The effective coefficient of autodiffusion of O in $Co_2X_2O_2$
Card 2/3

Kinetics of isotopic ...

S/195/62/003/006/003/011
E075/E436

particles at $40°C$ was calculated to be about 2.3×10^{-11} cm^2/sec using R. Barrer's equation (Diffuziya v tverdykh lekakh (Diffusion in solids) Izd-vo inostr. lit., M., 1948, 43). There are 3 figures and 1 table.

ASSOCIATION: Moskovskiy gosudarstvennyy universitet im. M.V.Lomonosova (Moscow State University imeni M.V.Lomonosova)

SUBMITTED: May 11, 1961

Card 3/3

PANCHENKOV, G.M.; TOLMACHEV, A.M.

Kinetics of isotopic exchange between gaseous oxygen and oxygen absorbed by the complex organic compounds of cobalt. Kin.i kat. 3 no.6:861-864 N-D '62.   (MIRA 15:12)

1. Moskovskiy gosudarstvennyy universitet imeni Lomonosova.
(Oxygen—Isotopes)
(Cobalt organic compounds)

5.3931

AUTHORS: Panchenkov, G. M., Tolmachev, A. M., Fedorov, V. A.

TITLE: Synthetic zeolites as ion exchangers. II. Study of the
              ion exchange equilibrium

PERIODICAL: Zhurnal fizicheskoy khimii, v. 37, no. 2, 1963, 456-459

TEXT: The equilibrium of the exchange of NH_4^+, Li^+, Na^+, Ca^{2+}, Pb^{2+} ions
was studied on two samples of synthetic 4A zeolites at $20 \pm 2°C$. Based
on the equation of R. M. Barrer and J. D. Falkoner (Proc. Roy. Soc.,
A236, 227, 1956), $\log K'_{th} = \log (M_{BX}M_{AZ}/M_{BZ}M_{AX}) + a(1 - 2M_{AZ})$ was derived
for the 1,1-valent ion exchange and
$\log K''_{th} = \log K + a (M_{AZ} - 1/2M_{BZ})/(M_{AZ} + 1/2M_{BZ})$ for the 1,2 ion exchange,
where K_{th} are the thermodynamic equilibrium constants, M the concentration,
B the univalent cation, X the univalent anion, A a cation of valency 1 or
2, and Z the zeolite. The second equation holds only for constant
concentrations of the solution. These equations include the ratio of the

Card 1/2

Synthetic zeolites as ion ...

S/076/63/037/002/018/018
B144/B180

ion activities in solution and show that K'_{th} is independent of the concentration, whereas K''_{th} decreases significantly when the concentration increases. This was proved by the values calculated for the systems $CaCl_2 + Li4A$; $Pb(NO_3)_2 + NH_44A$; $CaCl_2 + Na4A$. K_γ is highly dependent on the degree of exchange. It decreases when small ions are replaced by big ions or univalent by bivalent ions. The separating capacity of synthetic zeolites is 150-900% greater than that of ion exchange resins. There are 2 figures and 4 tables.

ASSOCIATION: Moskovskiy gosudarstvennyy universitet im. M. V. Lomonosova
               (Moscow State University imeni M. V. Lomonosov)

SUBMITTED: April 21, 1962

Card 2/2

TOLMACHEV, A.M.; GORSHKOV, V.I.; PANCHENKOV, G.M.

Exchange dynamics of ions of different valencies. Zhur.fiz.khim. 37 no.7:
1635-1636 Jl '63.
(MIRA 17:2)

1. Moskovskiy gosudarstvennyy universitet.

PANCHENKOV, G.M.; TOLMACHEV, A.M.

Synthetic zeolites as ion exchangers. Part 1: Kinetics of
ion exchange. Kin. i kat. 4 no.6:853-858 N-D '63.
(MIRA 17:1)

1. Moskovskiy gosudarstvennyy universitet imeni Lomonosova,
khimicheskiy fakul'tet.

TOLMACHEV, A.M.; FEDOROV, V.A.; PANCHENKOV, G.M.

Synthetic zeolites as ion exchangers. Part 3. Zhur. fiz. khim.
37 no.11:2548-2550 N'63.   (MIRA 17:2)

1. Moskovskiy gosudarstvennyy universitet imeni Lomonosova.

ition

Good reproducibility of made it possible to obtain values with additional heating having no effect on .

TOLMACHEV, A.M.; FEDOROV, V.A.; PANCHENKOV, G.M.

Dependence of the height of an equivalent theoretical plate in ion exchange chromatography on ion mobility. Zhur. fiz. khim. 39 no.5:1168-1170 My '65.
(MIRA 18:8)

1. Moskovskiy gosudarstvennyy universitet imeni M.V. Lomonosova.

Lord 2/3

L 1146-66   EWT(m)/ETC/EWG(m)/T DS/RM

ACCESSION NR: AP5023691

UR/0076/65/039/009/2259/2264
543.544

AUTHOR: Tolmachev, A. M.; Fedorov, V. A.

TITLE: Study of the ion exchange properties of type X zeolite

SOURCE: Zhurnal fizicheskoy khimii, v. 39, no. 9, 1965, 2259-2264

TOPIC TAGS: zeolite, cation, ion exchange

ABSTRACT: The ion exchange properties of type X zeolite were studied and compared with those of type A zeolite, which had been determined earlier. Exchange iso-therms were obtained for various pairs of univalent cations, and the thermodynamic equilibrium constants $K_{thermod}$ and activity coefficients for these ions were cal-culated. From the values of $K_{thermod}$, the following selectivity series of type X zeolite for univalent ions was established:

$$K^+ > Na^+ \geq Rb^+ > NH_4^+ > Cs^+ > Li^+ \geq (CH_3)_4NH_2^+,$$

Card 1/2

L 1116-66

ACCESSION NR: AP5023691

which is almost the same as the selectivity series of type A zeolite:

$$K^+ > Na^+ > NH_4^+ > Rb^+ > Cs^+ > Li^+ > (CH_3)_2NH_2^+.$$

Thus, although the exchange capacities of type X are more constant than those of type A, the properties of both zeolites are basically similar. In both cases, the affinity for the zeolite is a function of the size and hydration energy of the ions. It is noted that type X has a high separatory capacity with respect to Rb^+ and Cs^+ ions ($K_{thermod} \approx 5$), the separation of which is of major practical importance. Orig. art. has: 4 figures, 2 tables, 4 formulas.

ASSOCIATION: Khimicheskiy fakul'tet, Moskovskiy gosudarstvennyy universitet im. M. V. Lomonosova (Chemistry Department, Moscow State University)

SUBMITTED: 08Sep64   ENCL: .00   SUB CODE: GC

NO REF SOV: 007   OTHER: 003

Card 2/2

TOLMACHEV, A.M.; FEDOROV, V.A.; LARIONOV, O.M.

Determination of the activity coefficients of monovalent ions in a type-A synthetic zeolite. Vest.Mosk.un.Ser.2:Khim. 19 no.4:7-12 Jl-Ag '64.   (MIRA 18:8)

1. Kafedra fizicheskoy khimii Moskovskogo universiteta.

FEDOROV, V.A.; TOLMACHEV, A.M.; PANCHENKOV, G.M.

Exchange equilibrium of univalent ions on the A-type synthetic zeolite. Zhur. fiz. khim. 38 no.5:1248-1253 My '64.

(MIRA 18:12)

1. Moskovskiy gosudarstvennyy universitet imeni Lomonosova. Submitted July 24, 1963.

PANCHENKOV, G.M.; TOLMACHEV, A.M.; ZOTOVA, T.V.

Separation of hydrogen isotopes in the sorption of hydrogen
on synthetic zeolites. Zhur. fiz. khim. 38 no.5:1361-1365
My '64.   (MIRA 18:12)

1. Moskovskiy gosudarstvennyy universitet imeni Lomonosova.
Submitted July 24, 1963.

TOLMACHEV, A.M.; ZOTOVA, T.V.; YELISEYEVA, N.M.

> Dependence of a single separation coefficient of hydrogen
> isotopes from the cation composition of type A and X zeolites.
> Zhur. fiz. khim. 39 no.4:1021-1025 Ap '65.
>
> (MIRA 19:1)
>
> 1. Moskovskiy gosudarstvennyy universitet imeni Lomonosova.
> Submitted Nov. 23, 1964.

TOLMACHEV, A.M.; FEDOROV, V.A.

Study of ion exchange properties of L-type zeolites. Zhur.
fiz. khim. 39 no.9:2259-2264 S '65.   (MIRA 18:10)

1. Khimicheskiy fakul'tet, Moskovskiy gosudarstvennyy
universitet imeni M.V. Lomonosova.

L 43984-66   EWT(1)/T   IJP(c)   JGS

ACC NR: AP6030147

SOURCE CODE: UR/0120/66/000/004/0154/0156

AUTHOR: Gorbenko, B. Z.; Granigg, A. B; Drozhbin, Yu. A.; Korinfskiy, D. P;
Tolmachev, A. M.

ORG: none

TITLE: Moving-image camera with an electron-optical converter

SOURCE: Pribory i tekhnika eksperimenta, no. 4, 1966, 154-156

TOPIC TAGS: high speed camera, electrooptic camera

ABSTRACT: An FEP-1 photographic chronograph capable of recording events at speeds
of 20—160 km/sec is described. The system is suitable for determining the lumines-
cence time in GaAs crystal p-n junctions, and for recording high-speed transient
processes associated with exploding wires and the electrical discharge in gases.
The photochronograph consists of an optical system, an image converter, a two stage
light amplifier, and the control circuits. The optical part has a mirror lens with
a focal length and a relative aperture of 2000 mm and 1:10, respectively. A vertical
time controlled slit in the focal surface of the input lens allows the light to
reach the electron-optical converter cathode. After amplification by the converter,
the image of the process under study is time swept, displayed on its screen, and then
photographed on film. Each image on the film contains time marks whose error is not
greater than ±0.4%. The electronic control circuits consist of a sweep generator

Card 1/2

UDC: 621.383.6:778.37

L 43984-66

ACC NR: AP6030147

(capable of forming 4 kv, 0.25.μsec pulses with a linearity error of less than
2%), a shutter pulse generator, a time mark generator (forming 3—5 μsec, 200 v
pulses), starting and other auxilliary circuits. The time resolution of this system
is at best 6 x 10^{-10} sec. Its spectral sensitivity range is from 4000 to 12000 A.
The distortion of the photographed images does not exceed 7%. The installation
measures 2200 x 470 x 700 mm. Orig. art. has: 3 figures.   [BD]

SUB CODE: 14, 09/ SUBM DATE: 30Jun65/ ORIG REF: 005/ ATD PRESS:5071

Card   2/2   UCR

L 44603-66   EWT(1)/EWT(m)/EEC(k)-2/T/EWP(t)/ETI/EWP(k)   IJP(c)   WG/JD/JG
ACC NR: AP6030983   SOURCE CODE: UR/0181/66/008/009/2816/2818

AUTHOR: Basov, N. G.; Drozhbin, Yu. A.; Zakharov, Yu. P.; Nikitin, V. V.;
Semenov, A. S.; Stepanov, B. M.; Tolmachev, A. M.; Yakovlev, V. A.

ORG: Physics Institute im. P. N. Lebedev, AN SSSR, Moscow (Fizicheskiy institut
AN SSSR)

TITLE: The effect of injection current on the temporal characteristics of a GaAs
laser

SOURCE: Fizika tverdogo tela, v. 8, no. 9, 1966, 2816-2818

TOPIC TAGS: solid state laser, semiconductor laser, gallium arsenide, laser, injection
laser, ELECTRIC CURRENT, INJECTION CURRENT

ABSTRACT: In an investigation of the temporal characteristics of a GaAs laser the
radiative delay time (τ_g) was determined as a function of the injection current.
Ordinary diodes, prepared by means of the diffusion process, were placed in a dewar
at the liquid N temperature. The laser was excited by a current oscillator with pulse
amplitudes from 4 to 40 amp and a duration of 40 nanosec. Several diodes were investi-
gated at threshold currents from 1.8 to 4 amp. The dependence of τ_g on injection
current indicates that the value of τ_g approaches 1.8×10^{-9} sec. This corresponds
approximately to the spontaneous radiative lifetimes for electrons and holes calculated
theoretically elsewhere (W. P. Dumke, Phys. Rev., 132, 1998, 1963). With a 16-fold

Card   1/2

L 44603–66 O

ACC NR: AP6030983

increase of I_{thr}, τ_g increases to 0.9 nanosec; this is explained by the time increase necessary to achieve population inversion. To eliminate delay due to spontaneous emission and to achieve stimulated emission, the diode was pulsed by currents from an auxilliary oscillator with amplitudes of 1.5 I_{thr} and durations of approximately 200 nanosec. Some 50 nanosec after the onset of the auxilliary pulse, the diode was pulsed by a positive current from the master oscillator. The delay time between the onset of the injection current from the master oscillator and the radiation induced by it was measured, and at 17 I_{thr} was reduced to 6×10^{-11} sec. A further decrease in τ_g calls for considerably increased injection currents. The experimental data indicate that GaAs lasers can be used as radiation modulators in the centimeter band and as high-speed (10^{-10}—10^{11} sec) optical switches. Orig. art. has: 1 figure.   [YK]

SUB CODE: 20/ SUBM DATE: 13Apr66/ ORIG REF: 001/ OTH REF: 002/ ATD PRESS: 5078

Card 2/2

ACC NR: AP6022023   SOURCE CODE: UR/0120/66/000/003/0174/0176

AUTHOR: Drozhbin, Yu. A.; Tolmachev, A. M.

ORG: none

TITLE: A generator circuit for sweep and shutting of an electro-optical transducer

SOURCE: Pribory i tekhnika eksperimenta, no. 3, 1966, 174-176

TOPIC TAGS: electronic circuit, image converter, optic detection, transducer, photochronograph

ABSTRACT: A circuit used for generation of highly linear voltages and rectangular pulses for sweep and shutter control of high-seppd photochronographs is described. The circuit uses vacuum tubes and is capable of generating bipolar sweep ramp voltages of up to 4 kV and shutter-control pulses with amplitudes of 2 kV. The sweep pulses have fixed time durations of 0.25, 0.5, 1, 1.5, and 2.0 µsec; they are bipolar and linearly rise up to 4 kV with a linearity not worse than ± 1% over the working time interval. The shutter-control pulses have a fast rise time that does not exceed 2% of the total pulse time duration; their tops are flat to within 0.2% of the total pulse amplitude. The circuit was successfully used in a photochronograph equipped with a PIM-3 transducer and a photoamplifier. The dynamic resolution of the set-up did not differ from the static resolution and was about 10 to 15 strokes/mm. Orig. art. has: 1 figure.
     SUB CODE: 09, 14/ SUBM DATE: 18Mar65/ ORIG REF: 008/ OTH REF: 002
Card   1/1   UDC: 621.383.6

TOLMACHEV, A. V.

Rural dams. Moskva, Gos. izd-vo selkhoz lit-ry, 1949. 93p.

DA

1. Dams.   2. Hydraulic engineering - Russia.

TOLMACHEV, A.V., inzh. (g.Saratov)

Inundable bridge-dam on the Altata River. Gidr.i mel. 13 no.7:51-54
Jl '61.

(Altata River--Dams)   (MIRA 14:7)

AZIZYAN, A.K.; ANDRIYANOV, B.V.; BARASHEV, P.R.; BUGAYEVA, M.I.; VASIL'YEV,
N.I.; DENISOV, N.N.; ZASLAVSKIY, B.Ye.; OSTROUMOV, G.N.; TYUPAYEV,
A.S.; ADZHUBEY, A.I., red.; GORYUNOV, D.P., red.; IL'ICHEV, L.F.,
red.; SATYUKOV, P.A., red.; SIVOLOBOV, M.A., red.; SKURIDIN, G.A.,
red.; TOLMACHEV, A.V., red.; DANILINA, A.I., tekhn. red.

[Dawn of the outer space era] Utro kosmicheskoi ery. Moskva, Gos-
politizdat, 1961. 762 p. ___ [Phonograph record "World flight to
the stars. Soviet man in outer space;" report] Gramofonnaia plastin-
ka "Vsemirnyi reis k zvezdam. Sovetskii chelovek v kosmose"; repor-
tazh.
(MIRA 14:10)

1. Redaktsiya gazety "Pravda" (for Azizyan, Denisov). 2. Komitet po
radioveshchaniyu i televideniyu (for Andriyanov). 3. Redaktsiya ga-
zety "Komsomol'skaya pravda" (for Barashev). 4. Redaktsiya gazety
"Sovetskoye foto" (for Bugayev). 5. Redaktsiya gazety "Krasnaya
zvezda" (for Vasil'yev). 6. Gosudarstvennoye izdatel'stvo politi-
cheskoy literatury (for Zaslavskiy). 7. Redaktsiya gazety "Izve-
stiya" (for Ostroumov). 8. Telegrafnoye agenstvo SSSR (for Tyupayev).
(Astronautics)

TOLMACHEV, B.S.

Subject	:	USSR/Mining
Card	:	1/1
Author	:	Polyanskiy, A. P.
Title	:	Construction defects of a tightening arrangement packer
Periodical	:	Neft. Khoz., v. 32, #5, 48, My 1954

AID P - 336

Abstract   :   The author remarks on the comments of B. S. Tolmachev
published in the Neft. Khoz., No. 4, 1953 concerning the
article by M. A. Zelinskiy and A. N. Shermatov "For a
Rational Construction of Equipment for the Bottom and
Mouth of Gas Wells", published in the Neft. Khoz., No. 7,
1952. The author considers that the packer, shown on
fig. 5, of the reviewed article, has many defects and
is unsatisfactory in service.

Institution :   None

Submitted   :   No date

KALININ, Ye.P., Inzh.; TOLMACHEV, B.V.

Transistorized level indicator. Priborostroenie no.7:23 Jl '65.
(MIRA 18:7)

Tolmachev, B. V.   "Contribution to the Geological Interpretation of Geophysical Data."
Razvedka Nedr, Moscow, No. 6, 1940, pp. 55-61.

FILATOV, F.I.; KOLPASHNIKOV, A.I.; Prinimali uchastiye: POTAPOV, P.I.;
    YERMILOV, A.M.; TOLMACHEV, B.Ya.; KHARITONOV, A.Ya.

    Determination of residual stresses in the brake drums of airplane
    wheels. Zav.lab. 28 no.2:223-224 '62.   (MIRA 15:3)
        (Airplane—Brakes)   (Strains and stresses)

TOLMACHEV O., SOKOLOVA, Z.

USSR (600)

Dairying - Voronezh (Province)

Struggle for rhythmic factory work for acceleration of the production cycle
Mol. prom. 13 No 4, 1952

9. Monthly List of Russian Accessions, Library of Congress, _____ June _____ 1953, Uncl.

2

TOLMACHEV, G. (TSelinnyy kray, s. Ruzayevka)

Compare with this motortruck. Izobr. i rats. no.7:18-19 Jl '61.
(MIRA 14:6)
(Ruzayevka--Virgin Territory--Grain--Transportation)

/ _ _-//// _ // _ //.

AUTHORS	Shiryayeva, L.V., Tolmachev, G.M. 89-10-7/36
TITLE	The Chemical Behaviour of Mo^{99} Formed on Neutron Irradiation of Uranium Compounds. (O khimicheskom povedenii Mo^{99}, obrazuyushchegosya pri obluchenii soedineniy urana neytronami.)
PERIODICAL	Atomnaya Energiya, 1957, Vol. 3, Nr 10, pp.318-320 (USSR)
ABSTRACT	U_3O_8 and UO_2 (5 g - 50 g were in the course of 1 1/2 hours, heated up to temperatures of from 400 to 1200°C after irradiation with neutrons in oxygen and hydrogen. In this way the yield of Mo^{99} was measured. For U_3O_8 the yield of Mo^{99} depends mainly upon the annealing temperature but not upon the nature of the gas. The transformation of U_3O_8 into UO_2 has no influence upon the Mo yield on the occasion of the heating of U_3O_8 in hydrogen. During heating of U_3O_8 in oxygen (t = 1200°C) about 15 % Mo^{99} evaporate. In the case of hydrogen annealing no Mo^{99} evaporation was observed in the total temperature domain.
CARD 1/2	If UO_2 is annealed in hydrogen, the Mo^{99} yield grows at

89-10-7/36

The Chemical Behavior of Mo-99 Formed on Neutron Irradiation of Uranium Compounds.

higher temperatures and attains 11 % at 1200°C.
In the case of annealing in oxygen, however, the Mo^{99}
yield at 1000°C attains a maximum of 83,5 %. In the
case of still higher temperatures evaporation already
takes place. At 1200° C   40 % of the total Mo^{99}
evaporates. If this sample is then treated with certain
liquids, further 57 % evaporate. It does not seem wrong
to assume that a certain part of Mo^{99} is produced in
form of MoO_3 on the occasion of fission.

There are 2 figures and 1 table.

ASSOCIATION: None given.
SUBMITTED: April 18, 1957.
AVAILABLE: Library of Congress.

CARD 2/2